

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	132	((vent\$3 or ventilat\$3) with groove) same ((rotor or hub) and "418".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 10:57
L2	75	((vent\$3 or ventilat\$3) with groove) same ((rotor or hub) and shaft) and "418".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 10:58
L3	36	((vent\$3 or ventilat\$3) with groove) same ((rotor or hub) and shaft) and assembly and "418".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 10:58
L4	31	((vent\$3 or ventilat\$3) with groove) same ((rotor or hub) and shaft and assembl\$3) and "418".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 10:58
L5	364	418/217-219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 11:02
L6	14	418/217-219.ccls. AND (VENT OR VENTILAT\$3)".CLM" AND (ROTOR OR HUB).CLM. AND SHAFT.CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 11:06
L7	2	418/217-219.ccls. AND (VENT OR VENTILAT\$3).CLM. AND (ROTOR OR HUB).CLM. AND SHAFT.CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/09 11:06
S1	445	(418/91).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:38

S2	440	(418/49-53).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:39
S3	13	S2 and wav\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 15:39
S4	40	(418/103).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:46
S5	305	(418/131).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:47
S6	322	(418/217,219).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/21 15:55
S7	2332	(shaft with "rotating sleeve" or "sleeve rotates") same bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:28
S8	1386	(shaft with ("rotating sleeve" or "sleeve rotates")) same bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:28
S9	19	"418".clas. and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/21 17:29
S10	239364	("74").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:05
S11	185	S10 and "rotary pump" and bearing and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:05

S12	0	("594.1-594.7").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:19
S13	2737	(74/594.1-594.7). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/22 12:20
S14	153	S13 and tool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:20
S15	72	S13 and (tool same assembl\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:20
S16	18	S13 and (tool same assembl\$4) and (((without or "no" or "not") with tool) or toolless or toolless or "tool-less")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:24
S17	106	"418".clas. and (bearings with shaft) and (bearing with axial with plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:54
S18	1	"418".clas. and (bearings with shaft) and (bearings near5 axial adj plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:55
S19	13	"418".clas. and (bearings with shaft) and (bearings near5 axial near3 plane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/05/22 12:55

6/ 9/ 2009 11:16:19 AM

C:\ Documents and Settings\ dduff\ My Documents\ EAST\ Workspaces\ 10597044.wsp